



# ROLLY NRG



**NRG, NEW ROLLY GENERATION IS THE NEW ROLLY NRG COMPACT SCRUBBER DRYER SERIES, EVEN MORE PERFORMING AND RELIABLE FOR TOP CLEANING RESULTS! NRG SUCH AS ENERGY, POWER, BUT ALSO INNOVATION: AN INTEGRATED SYSTEM OF TECHNICAL SOLUTIONS ABLE TO MEET THE NEEDS OF THE MOST DEMANDING CLEANING PROFESSIONALS.**

# ROLLY NRG 7 1/2



## ROLLY NRG 7 1/2

**E33**

**ELECTRIC VERSION**



## ROLLY NRG 7 1/2

**M33 BC 10 AH**

**BATTERY CHARGER 24V 5A,  
CASE BATTERIES  
LITHIUM 24V 280 WH**



## ROLLY NRG 7 1/2

**M33 BC 20 AH**

**BATTERY CHARGER 24V 5A,  
CASE BATTERIES  
LITHIUM 24V 560 WH**



Ergonomic handle (patented), with integrated unlocking system, for an easy cleaning under chairs, tables...

Rear pivoting wheels: max manoeuvrability and control.

# ROLLY NRG 11



## ROLLY NRG 11

**E33**

**ELECTRIC VERSION**



## ROLLY NRG 11

**M33 BC 10 AH**

**BATTERY CHARGER 24V 5A,  
CASE BATTERIES LITHIUM  
24V 280 WH**



## ROLLY NRG 11

**M33 BC 20 AH**

**BATTERY CHARGER 24V 5A,  
CASE BATTERIES LITHIUM  
24V 560 WH**



Combined brush head/squeegee system:  
cylindrical brush with three down pressure  
levels (by knob), twin squeegee with  
alternating suction system (patented).

# EASY MEANS...

## ...YOU CAN GO AND WORK WHEREVER YOU WANT

Compact and reactive, Rolly NRG perfectly works in every environment. Its dimensions, combined with the new handle with unlocking system, guarantee the best cleaning results, even in congested areas and in narrow spaces. The swivel wheels assure the max manoeuvrability.



## ...USER FRIENDLY

Intuitive control panel. Machine easy to set up... everything always under control. "Coloured" parts levers, knobs, ...clearly indicate where the user can "put the hands" preparing the machine for work or while using it.



## ... EASY TO FILL AND DRAIN

Solution tank: easy to transport and fill (under sink, tap ...). Practical cover with percentage graduation for chemical dosage. Recovery tank: foldable and removable, thanks to its click-clack system it perfectly seals the recovery tank, so avoiding any water leaking effect either in transport or while working. The tank can be easily transported and drained like a bucket.



## ...EFFORTLESS MAINTENANCE

Immediate brush click on/off system (by button). Sliding brush deck. Squeegee blades simple to install/remove.



## ...ROLLY NRG HOSTS IN A COMPLETE COMFORT THE LITHIUM BATTERIES: THE POWER IN A CASE

Nothing to extract, remove, prepare for the batteries location. They stay inside a practical case which can be promptly inserted in the back of the machine.



## ... EASY TO TRANSPORT, PARK, STORE

Rolly NRG is really small and above all light (only 23 kg). When it is not in action it can be moved, parked or stored everywhere without any effort



## ... MANY ACCESORIES, TO MATCH EVERY SPECIAL NEED

The standard equipment of all the Rolly NRG variants is really rich. In addition there is a wide range of accessories (batteries, charger, brushes, pads,...) to wear Rolly NRG in the best way in every situation



# A UNIQUE MIX OF DISTINCTIVE SOLUTIONS MAKES ROLLY NRG THE PERFECT COMPACT SCRUBBER DRYER

WHERE  
NO ONE  
ARRIVES

## COMFORT IN NARROW SPACES

**SO TINY!** All the Rolly NRG machines (above all Rolly NRG 7 ½) are extremely compact, so ideal for narrow spaces, where no other scrubber dryer can go and work.

**A SPECIAL HANDLE**, ergonomic, foldable for the best comfort ... but above all unlockable (patented). Just one click on the front lever and the handle frees itself. This allows Rolly NRG to go and work under tables, chairs... wherever you need her!



BIG POWER  
IN A SMALL  
CASE

## DURABILITY, RELIABILITY, RUNNING TIME, LIGHTNESS... ALL IN A SIMPLE CASE!

Rolly NRG is a really amazing scrubber dryer, hosting the last generation powerful batteries inside a case! Thanks to this it can work for a long time without any stress in any kind of environment.

**DURABILITY:** lithium batteries really last for more than 1000 life cycles. Unbeatable long time investment!

**RELIABILITY:** batteries not affected by plug in/out; the operator can recharge them whenever and how long he wants (even partially) w/o any risk of damage...more than 1h running time with the 10Ah batteries, the double with the 20Ah ones.

**LIGHTNESS:** only 2,4 kg (10 Ah) and 3,6 kg (20 Ah) contained in a practical case, easy to be transported and installed by everybody.





## SIMPLE AND FAST

## USER FRIENDLY

### PEERLESS PERFORMANCE

Brush head and squeegee system, combined together, perfectly optimize cleaning and drying performance, with amazing results, so making Rolly NRG the ideal solution for small or crowded cleaning areas.

**Top cleaning effects:** the cylindrical brush deck assure the best cleaning performance on every kind of floors, in the uneven ones or the ones with relevant (grout lines included), adjustable down pressure by knob... against every kind of dirt.

**An unbelievable squeegee system!** Alternate twin squeegee system: for sure one of the main innovations. How it works is incredibly simple: working frontward the front squeegee immediately closes and the rear one can work more efficiently, going backward exactly the opposite. The results are immediately and clearly visible: top drying results and optimized consumptions at the same time.

**Retractable squeegee arms:** both the arms go inside the brush head when hitting obstacles (coming out again when the obstacle has been passed); for the maximum reliability and agility when working.

**Incredibly quiet:** as soon as you push the silent mode function on the control panel Rolly NRG becomes immediately more quiet (54 dbA). Ideal for day cleaning and in all the environments (hospitals, rest homes,...) where silence is a "must".



### A START AND GO MACHINE

Intuitive control panel: all the main working functions can be selected and managed directly by the control board, three buttons and three leds to have the situation always under control. **One Touch Button**, to activate all the Rolly's functions together by default. So Rolly NRG is a start and go machine, immediately ready for use (no trainings required).



# TECHNICAL DATA & ACCESSORIES

## STANDARD ACCESSORIES



**POLYPROPYLENE  
CYLINDRICAL BLUE  
BRUSH**  
cod. 40.5000.00



**SET FRONT/REAR  
POLYURETHANE  
SQUEEGEE BLADE**  
cod. 96.0084.00



**SET FRONT/REAR  
RUBBER SQUEEGEE  
BLADE**  
cod. 96.0085.00



**CASE BATTERIES  
LITHIUM 24V 280WH**  
(for 10Ah version)  
cod. 22.0571.00



**CASE BATTERIES  
LITHIUM 24V 560WH**  
(for 20Ah version)  
cod. 22.0571.01



**24V 5A CHARGER**  
(for BC version)  
cod. 22.0619.00

## OPTIONAL ACCESSORIES



**SOFT CYLINDRICAL  
POLYPROPYLENE BRUSH**



**HARD CYLINDRICAL  
POLYPROPYLENE BRUSH**



**TYNEX CYLINDRICAL  
BRUSH GRIT 360**  
cod. 40.5000.03



**TYNEX CYLINDRICAL  
BRUSH GRIT 80**  
cod. 40.5000.08



**CYLINDRICAL PAD HOLDER**  
cod. 40.5000.06




**MELAMINE  
CYLINDRICAL PAD**  
cod. 40.5000.10



**CYLINDRICAL PADS**  
**WHITE** cod. 40.5000.11  
**RED** cod. 40.5000.12  
**GREEN** cod. 40.5000.13  
**BLACK** cod. 40.5000.14  
**MICROFIBER**  
cod. 40.5000.04



**24V 10A CHARGER**  
cod. 22.0619.01



**CAR CHARGER 24-12V 3A**  
cod. 18.0065.00



**KIT CASE POWER SUPPLY 230V**  
It allows to use battery  
models M33 as cable ones  
(standard for E models)  
cod. 22.0509.00

## TECHNICAL DATA

| MODEL                           |                   | ROLLY NRG 7 ½<br>E33 | ROLLY NRG 7 ½<br>M33 BC 10 AH | ROLLY NRG 7 ½<br>M33 BC 20 AH | ROLLY NRG 11<br>E33 | ROLLY NRG 11<br>M33 BC 10 AH | ROLLY NRG 11<br>M33 BC 20 AH |
|---------------------------------|-------------------|----------------------|-------------------------------|-------------------------------|---------------------|------------------------------|------------------------------|
| REF.NO                          |                   | 10.6075.01           | 13.5075.01                    | 17.5075.01                    | 10.6110.01          | 13.5110.01                   | 17.5110.01                   |
| Power Supply                    |                   | Cable 230V-50Hz      | Battery 24V                   | Battery 24V                   | Cable 230V-50Hz     | Battery 24V                  | Battery 24V                  |
| Tank capacity                   | l                 | 7,5/8                | 7,5/8                         | 7,5/8                         | 11/12               | 11/12                        | 11/12                        |
| Cleaning width                  | mm                | 330                  | 330                           | 330                           | 330                 | 330                          | 330                          |
| Squeegee width                  | mm                | 420                  | 420                           | 420                           | 420                 | 420                          | 420                          |
| Rated power                     | W                 | 270                  | 270                           | 270                           | 270                 | 270                          | 270                          |
| Productivity (theor./practical) | m <sup>2</sup> /h | 1.320/800            | 1.320/800                     | 1.320/800                     | 1.320/800           | 1.320/800                    | 1.320/800                    |
| Running time                    | h                 | -                    | 1                             | 2                             | -                   | 1                            | 2                            |
| Contact pressure                | g/cm <sup>2</sup> | 35-71-160            | 35-71-160                     | 35-71-160                     | 35-71-160           | 35-71-160                    | 35-71-160                    |
| Noise level                     | db(A)             | 58/54*               | 58/54*                        | 58/54*                        | 58/54*              | 58/54*                       | 58/54*                       |
| Weight (empty/with batteries)   | kg                | 23/25,5              | 23/25,4                       | 23/26,6                       | 24/26,5             | 24/26,4                      | 24/27,6                      |
| Dimensions (l x w x h)          | mm                | 640x450x422          | 640x450x422                   | 640x450x422                   | 640x450x502         | 640x450x502                  | 640x450x502                  |

\* Silent mode function \*\*40.5000.06 included

# ROLLY NRG

**EVEN MORE  
EFFICIENT  
AND RELIABLE!**



**MORE AGGRESSIVE CHEMICALS  
CAN BE USED COMPARED  
TO PREVIOUS MODELS\***



**IT IS POSSIBLE TO USE  
WATER AT 50 °C**



**MAXIMUM PROTECTION  
AGAINST WATER,  
IT IS IDEALLY SUITED  
FOR USE IN DAMP  
ENVIRONMENTS**




**A NEW AND WIDE RANGE OF  
PADS, SUITABLE FOR ALL NEEDS**



**WHITE CYLINDRICAL PAD**  
Cylindrical pad suitable  
for the polishing of coated  
floors.  
cod. 40.5000.11



**RED CYLINDRICAL PAD**  
Cylindrical pad suitable  
for regular maintenance;  
cleaning sign removal.  
cod. 40.5000.12



**GREEN CYLINDRICAL PAD**  
Cylindrical pad suitable for  
partial wet stripping of not  
coated hard surfaces, for  
preparing hard surfaces  
before new coating and for  
stripping of linoleum and  
vinyl surfaces.  
cod. 40.5000.13



**BLACK CYLINDRICAL PAD**  
Cylindrical pad suitable for  
the total wet stripping of  
hard surfaces with chemical  
stripping agents. Also  
suitable for heavy cleaning  
tasks on cement and  
industrial floors.  
cod. 40.5000.14



**MICROFIBER  
CYLINDRICAL PAD**  
Cylindrical pad suitable  
for structured surfaces  
(microporous), or delicate  
ones (wood and parquet).  
Surfaces treated  
with wax wood.  
cod. 40.5000.04



**MELAMINE  
CYLINDRICAL PAD**  
Cylindrical pad suitable for  
cleaning microporous gres  
stoneware floors only with  
water, without chemical.  
It removes all black marks  
from floors with minimal  
abrasive action. It reduces  
cleaning times and costs.  
cod. 40.5000.10

\*the use of chemical products with a pH 1 to pH 14, concentration at 10% dilution is permitted.  
Before use we strongly recommended to consult the technical data sheet of the chemical products.

BROCHURE Rolly NRG WIRBEL 8050216-EN - ED.04.2020

Ghibli & Wirbel S.p.A. reserves the right to change specifications and accessories at all times.