

WSD 65



WSD 65 RD 55

WSD 65 RD 55 is the ride-on scrubber dryer ideal for medium sized areas. Equipped with extra pressure to tackle even the toughest dirt and a specially designed squeegee system for excellent drying on all types of surfaces. WSD 65 offers intuitive control of all key functions, thanks to the highly practical control panel with display integrated into the steering wheel, allowing the operator to be immediately ready to perform all major cleaning tasks. Available in three versions, one basic and two full package, including batteries and charger, it offers a running time of approximately 3½ hours in the BC version and over 3 hours in the BC Lithium version.



Product identification

TYPE	REF. NO.
WSD 65 RD 55	10.0665.01
WSD 65 RD 55 BC	13.0665.01
WSD 65 RD 55 BC LITHIUM	14.0665.91

Technical data

FEATURES

Cleaning width	mm	530	Motor rating	
Squeegee width	mm	750	Driving speed	
Productivity (theoretical - practical)	m²/h	3200 - 1920	Hill climbing ability (full load)	
Power supply		Battery 24V	Hill climbing ability	
Installed power	W	1153	(empty)	
Advancement		Traction on rear	VACUUM	
		wheels	Motor rating	
IP code		IPX3	Vacuum	
BATTERIES			Airflow rating	
Туре	Gel battery set (2 pcs) 12V 105Ah (*) - Lithium battery 24V 100Ah (**)		Noise level	
Running time	h - min	3 h and 20 min (*) - 3	TANK	
		h and 10 min (**)	Туре	
Battery compartment dimensions x No	mm x No	360x350x325 X 1	Cleaning solution tan	
			Recovery tank	
BRUSHES			Weight (empty-with	
Pad diameter x No	mm - inch x No	530 - 21" x 1	batteries)	
Motor rating x No	W x No	500 x 1	Dimensions	
Motor speed	rpm	165	(*) For BC version	
Down pressure - Contact pressure	Kg - g/cm ²	20;30,5 - 13;21	(**) For BC Lithium version (***) Silent mode function	

Motor rating	W	220
Driving speed	Km/h	6
Hill climbing ability (full load)	%	2
Hill climbing ability (empty)	%	12
VACUUM		
Motor rating	W	385
Vacuum	mbar - mmH₂0	107 - 1070
Airflow rating	l/s	45
Noise level	dB(A)	63/57 (***)
TANK		
Туре		Double tank
Cleaning solution tank	l	65
Recovery tank	l	68
Weight (empty-with batteries)	Kg	110 - 181 (*) - 138 (**)
Dimensions	mm	1298x750x1185

Main technical specifications

Thanks to its 65-litre solution tank, 55 cm cleaning width, 75 cm squeegee width, rear-wheel drive, high engine power, and 3,200 m²/h productivity, the WSD 65 stands unrivaled in its class, setting it apart from other ride-on scrubber dryers.

capacity

55cm | 75cm

3200 m²/h productivity

Steering wheel-integrated control panel



For quick activation of key machine functions



EXTRA DOWN PRESSURE

For the perfect removal of even the most stubborn dirt

ELECTRONIC WATER REGULATION



ECO SYSTEM

To reduce consumption by eliminating unnecessary waste, without compromising performance



SILENT MODE

To reduce machine noise for daily cleaning in sensitive environments



required during the work. AUTOMATIC BRUSH COUPLING/

UNCOUPLING

For quick assembly/disassembly operations without manual intervention

To electronically manage the amount of water



Sturdy and compact

The WSD 65 is a ride-on scrubber-dryer that, thanks to its compact dimensions, is both practical and manoeuvrable. A robust and reliable machine that is up to any challenge, working effortlessly even in the tightest and most confined spaces.



Outstanding cleaning performance

Powerful brush and vacuum motors, the 21" single brush head, the compact squeegee and the high quality accessories that come as standard enable the WSD 65 to deliver excellent cleaning results. In addition, lithium-ion batteries allow greater flexibility of use.

Accessories

STANDARD ACCESSORIES

External battery charger 24V 15A (**)

5171157115 716625361125			
TYPE	REF. NO.		
Solution tank filling hose	30.0024.00		
21" Polypropylene brush Ø 0.7	40.0003.00		
Brush Solution Diffuser	96.0207.00		
Splashguard	96.0226.00		
Set natural rubber squeegee blades (front/rear)	96.0228.00		
Gel battery set (2 pcs) 12V 105Ah (*)	22.0724.00		
On board battery charger 24V 13A (*)	18.0095.00		
Lithium battery 24V 100Ah (**)	18.0112.00		

18.0113.0

OPTIONAL ACCESSORIES

	TYPE	REF. NO.
00	21" Polypropylene brush Ø 0.9	40.0103.00
00	21" Polypropylene brush Ø 1.2	40.0303.00
00	21" Tynex brush Ø 1.2 grit 80	40.0203.00
00	Pad holder 485 mm (for 20" pad)	40.1003.01
00	Set front + rear polyurethane squeegee blades	96.0228.01
00	Chemical mixing system	96.0227.00
00	Headlight kit	96.0180.00
00	Blinking kit	96.0229.00
00	Water Stop kit	96.0183.00





wirbel.it







